

ABSOLUTE NORTHWOOD: WHERE OUR QUALITY BEGINS

Our Commitment to:



QUALITY STRENGTH DURABILITY

Loaded with ALL these Standard Features

Certified Off-Road Chassis TG Plywood Floor Decking Plywood Roof Decking Heavy Gauge One Piece Roof Membrane

...plus these amenities...

12 Volt LED Power Awning
Rear Receiver Hitch
10 Gallon Water Heater
Generator Ready...

INTERIOR COLORS FOR 2025



SOLITAIRE AZUL

...and these Absolute Northwood Features

LED Lighting Inside and Out Bonded Northwood Roof Truss System Residential Quality Face-Frame Custom Built Cabinetry

All Conditions-Insulated & Heated Holding Tanks & Valves
Heavy Gauge, Fully Welded, Thick Wall Aluminum Frame
Solid Fill - Full Thread Depth Anchor Blocking
Virgin 2lb. Rigid Dense Block Foam Insulation
One Piece Fiberglass Exterior Wall
Cathedral Arched Ceiling

...STANDARD ON EVERY NASH CAMP!



DESERT PALMS

BUILT OFF ROAD TOUGH



ROOF

FULL WALK ON ROOF WITH BONDED ROOF TRUSS SYSTEM CATHEDRAL ARCHED CEILING

FRAME

HEAVY GAUGE FULLY WELDED ALUMINUM SUPERSTRUCTURE

COMMERCIAL GRADE LINOLEUM, FULLY INSULATED TONGUE AND GROOVE PLYWOOD (NOT CHIPBOARD)

SLIDE OUTS

4 SEALS, SCHWINTEC INSULATED, CROSS VENTILATING WINDOWS

CHASSIS

CUSTOM BUILT, INDEPENDENTLY TESTED & CERTIFIED

CABINETS

WALL & CEILING MOUNTED, FACE FRAME CONSTRUCTION

A. NORTHWOOD ROOF TRUSS SYSTEM

- Heavy Gauge One Piece Roof Membrane 3/8" Plywood Sheathing (Bonded to Trusses) R-15 Reflective 'Arctic' Foil Insulation R-14 Dual Layer Fiberglass Insulation

- Cathedral Arched Roof Trusses (More overhead space)
- Interior Lamination Grade Lauan Plywood (Bonded to trusses)
- Designer Interior Decor Finish Paneling

B. HIGH DENSITY ONE PIECE LAMINATED WALLS

- 8 Designer Interior Decor Vinyl Finish
 9 Heavy Gauge Fully Welded Aluminum Superstructure
 10 Solid Wood Fill Full Thread Depth Anchor Blocking

- 11 Virgin 2 lb Rigid Dense Block Foam Insulation
 12 Steel Inlaid Bonderizer Anchor Strips
 13 Lamination Grade Lauan Plywood Exterior Wall Layer
 14 Corona Treated High Durability Fiberglass Outer Layer

PACIFIC WEST ASSOCIATES, INC. **BUILT BY NORTHWOOD**

ALL CONDITIONS UNIT 12 12 CAMP 11 B 20 IRONHORSE Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

C. ULTIMATE DURABILITY FLOOR STRUCTURE

- 15 Commercial Grade Linoleum with 20 mil Surface 16 5/8" T&G Plywood Decking (Not Chipboard) 17 R-7 Residential Grade Fiberglass Insulation 18 Reinforced Woven Highway Moisture Barrier

D. DUAL RACK & PINION RAM MAIN SLIDE ROOM 19 4 Seal System w/ Inner & Outer Bulb Seal 20 ...including Wiper Seal for Continual Seal (Any Position)

- 21 ...and Outer Bulb Seals

E. CHASSIS

- 22 Northwood Built Ironhorse Chassis
- 23 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
 24 Corrugated Underbelly Panels
 25 Heated and Insulated Large Capacity Holding Tanks
 26 Easy Lube Axles and Shock Absorbers

- 27 Heavy Duty Radial Tires
- 28 Sealed All Metal Heat Ducts

MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 29 All Foam Condensation Resistant A/C Ducts
 30 Large Bath Skylight
 31 Hi Output Roof Mount A/C
 32 Roto Molded High Durability Wheel Skirts
 33 Diamond Scored Sidewall Skirts (Some Models)
- 34 Diamond Plate Gravel Guard





THESE FLOORPLANS COMING SOON!



COLUTE NORTHWOOD?

CHASSIS

Custom Built, Independently Tested & Certified



✓ Fully Welded Aluminum Superstructure



✓ Full Walk On, Bonded Roof Truss System



✓ Wall & Ceiling Mounted, Face Frame Construction.

INSULATION

A True 4 Season Coach

Our Commitment to QUALITY ABSOLUTE STRENGTH DURABILITY

When you purchase a Nash, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in a Nash remains higher, and your investment retains its value longer. If you ever decide to trade in your Nash, you will get top dollar. That is why you don't see many used Nash trailers on the market, folks buy them up as quickly as they become available because Nash trailers have a reputation for durability and longevity.

THICK WALL ALUMINUM FRAME



Aircraft Grade Tubing Up to 1/8" Thick .125"-.060" Thick frame with fully welded heavy gauge, thick wall aluminum tubing.



ALL CONDITIONS

4 SEASON COACH

WARM AIR AROUND TANKS


Heated enclosed holding tanks & dump valves.



SOLID CORE ANCHOR BLOCKING

UTILIZING EVERY THREAD

At all critical anchor points, we include solid fill anchor blocking so all the threads of the fasteners anchor securely and completely.



RESIDENTIAL QUALITY

CUSTOM BUILT CABINETRY

Our cabinetry is built w/solid wood doors, built with residential face frame construction methods. Drawers slide effortlessly on heavy gauge roller bearing drawer glides.



CERTIFIED

OFF-ROAD CHASSIS

WE BUILD OUR OWN!

We are one of the few manufacturers who build

their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing lab.

* Fully bonded ceiling, trusses and roof sheathing.


* Trusses w/ 5-1/2 inch height for plenty of runoff slope.



LED LIGHTS & SURGE TESTS

You will find energy efficient LED lighting both inside and out. Additionally, our 110V systems are surge tested multiple times with 1080 volts and the 12V systems are surge tested with 600 volts.







Gast Horn Gas Manifold

aniered Chassis Welds Resistant Finish

BUILT DIFFERENT

STANDARD CONSTRUCTION FEATURES

Northwood Built Ironhorse Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
Corona Treated Fiberglass
Laminated, Multi-Layered Substrate Walls
High Density Block Foam Insulation
Cathedral Arched Ceiling
E-Z Lube Axles

15" Aluminum Wheels / Tires & White Mod Spare
12-Volt Power Tongue Jack / Manual Stabilizer Jacks
Easy Access LP Cover
4" Sewer Hose Carrier Bumper

All-Conditions/Four Seasons Insulation With R-14 Ceiling R-15 Reflective Foil Insulation in Roof

Heated and Enclosed Tanks Aerodynamic Front Fiberglass Cap w/ Diamond Plate Gravel Guard Dinette Slide (18FM, 23D, 24B, 25DS, 29S)

Sofa Slide (23CK, 24M, 25KT, 29S) Second Entry (24M, 25DS, 25KT, 29S)

STANDARD EXTERIOR FEATURES

Exterior Marine Grade Speakers
Pass Thru Storage w/Independently Switched LED Light
LPG Quick Connect & Black Water Flush System
Entry Door Friction Hinge
Exterior Shower
10 Gal DSI Gas/Elect Quick Recovery Water Heater
13.5m BTU Air Conditioner w/Condensation-Resistant Ducting
Charge Wizard with Li Switch / Digital Thermostat
12V LED Awning w/Adjustable Pitch
Omni-Directional TV Antenna/Battery Disconnect
SolX 4 - 400 Watt Solar Package
Generator Ready / Satellite Ready

STANDARD INTERIOR FEATURES

LED Interior Utility & Decorative Lighting
Interior Command Center / NW Logo Cutting Board-Backsplash
Roller Bearing Drawer Glides
Night Shades / AM/FM Stereo w/Bluetooth
Smoke, LPG & CO Leak Detectors
Jackknife Sofa (24M, 25DS, 29S)
Booth Dinette (17K, 23CK, 24M, 25DS, 25KT)
Theater Seating 68" (23CK, 25KT)
U-shaped Dinette (18FM, 23D, 29S)
Custom One Piece Formed Countertops & Dinette Table



STANDARD KITCHEN FEATURES

High Output 3-Burner Range & Cover 10 Cubic Foot 12 Volt Stainless Steel Refrigerator Residential-style Microwave w/Air Fryer Stainless Steel Sink/Sink Cover/Cutting Board

STANDARD BATHROOM FEATURES

Porcelain, Foot-Pedal Toilet / Bath Skylight Brushed Nickel Shower Screen Full Tub (18FM, 24B, 29S) Shower Pan (17K, 23D, 23CK, 24M, 25DS, 25KT)

STANDARD BEDROOM FEATURES

Double Over Double Bunkhouse (24B, 29S)
NW TruRest Queen Mattress w/ Bedspread
Below Bed Storage
USB Charging Ports & 110 Outlets on Both Sides of Bed
Recessed Storage Headboard

OPTIONS

Premium Fan Vent - Bedroom
Premium Fan Vent - Bathroom
Premium Fan Vent - Kitchen
24" 12v LED TV (23D)
32" 12v LED TV (17k, 18FM, 23CK, 24B, 24M, 25DS, 25KT, 29S)
2.5 Onan LP Generator & 11K Power Saver A/C (17K,18FM)
3.6 Onan LP Generator (23D, 23CK, 24B, 24M, 25DS, 25KT, 29S)
SOIX 6+ 200 Watts of Solar (AII)
SOIX 8+ 400 Watts of Solar (23D, 23CK, 24B, 24M, 25DS, 25KT, 29S)
SOIX 10 + 600 Watts of Solar (29S)



STANDARD FEATURES & OPTIONS

CUSTOMER PHOTOS AND TESTIMONIALS DO NOT NECESSARILY REFLECT THE VIEWS OR RECOMMENDATIONS OF NORTHWOOD MANUFACTURING. Send us your testimonial with your pictures and you may be featured in our future promotions. Send your information to: feedback@northwoodmail.com

## PROPERTY OF THE PROPERTY OF THE TRANSPORT OF THE PROPERTY O		THE RESERVE OF	CHECK LOOK STATE	C2026 BES 2000 P	WITCHGOOD WAY	\$1000 A SERVICE	200007EC445.YS	Section 1	TO SHOW THE REAL PROPERTY.
Model Number	17K	18FM	23D	23CK	24B	24M	25DS	25KT	298
Dry Axle Weight (approx. Lbs.)	TBD	TBD	TBD	5640	5702	TBD	TBD	5935	6465
Dry Hitch Weight (approx. Lbs.)	TBD	TBD	TBD	790 -	758	TBD	TBD	715	810
Net Carrying Capacity	TBD	TBD	TBD	2770	2740	TBD	TBD	2550	3425
Gross Dry Weight (approx. Lbs.)	TBD	TBD	TBD	6430	6460	TBD	TBD	6650	7275
Gross Vehicle Weight Rating (GVWR)-Lbs.	TBD	TBD	TBD	9200	9200	TBD	TBD	9200	10700
Exterior Length (approx. w/hitch)	22' 4"	22'11"	25'10"	27'8"	28'8"	27'3"	29'2"	28'5"	32'4"
Exterior Height (approx. incl. AC unit)	11'1"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"
Exterior Width (approx. w/o awning)	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Tire Size	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST225	ST225
E. P. Marian and S.	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15	75R15
Load Range	E	E	E	E	E/	E	E	E	E
Fresh Water w/ Water Heater (approx. gal.)	50	50	50	82	50	50	50	80	50
Gray Water Tank (approx. gal.)	35	42	42	47	42	42	40	35/40	40
Black Water Tank (approx. gal.)	36	35	35	36	35	35	35	35	35
LPG Capacity (approx. gal.)	14	_14	14	14	14	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTUs)	25	25	25	25	25	25	25	25	25

*All dry weights are calculated before adding options. Specifications are subject to change without notice.

Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.

YOUR LOCAL DEALER:



Updated Jan. 2025