NEXT LEVEL NORTHWOOD

NASH

TRAVEL TRAILERS

NASH

NW

Absolute Northwood: Where Our Quality Begins

Our Commitment to:

Quality
Strength
Durability

Loaded with ALL these Standard Features

Shock Absorbers
Certified Off-Road Chassis
TG Plywood Floor Decking
Plywood Roof Decking
Heavy Gauge One Piece Roof Membrane

...plus these amenities...

12 Volt LED Power Awning
Rear Receiver Hitch
10 Gallon Water Heater
Generator Ready...

...and these Absolute Northwood Features

LED Lighting Inside and Out
Bonded Northwood Roof Truss System
Residential Quality Face-Frame
Custom Built Cabinetry
All Conditions-Insulated & Heated Holding Tanks & Valves
Heavy Gauge, Fully Welded, Thick Wall Aluminum Frame
Solid Fill - Full Thread Depth Anchor Blocking
Virgin 2lb. Rigid Dense Block Foam Insulation
One Piece Fiberglass Exterior Wall
Cathedral Arched Ceiling

...STANDARD ON EVERY NASH!

Interior Colors For 2027



Papyrus



Moonstone

Carbon

ALUMINUM SUPERSTRUCTURE

ROOF
- Full Walk On Roof with Bonded Roof Truss System
- Cathedral Arched Ceiling

FRAME
- Heavy Gauge Fully Welded Aluminum Superstructure

FLOORS
- Commercial Grade Linoleum, Fully Insulated
- Tongue and Groove Plywood (Not Chipboard)

SLIDE OUTS
- 4 Seals
- Insulated, Cross Ventilating Windows

CHASSIS
- Custom Built, Independently Tested & Certified

CABINETS
- Wall & Ceiling Mounted, Face Frame Construction

ALL CONDITIONS UNIT FOUR SEASONS NW

CERTIFIED CHASSIS
PACIFIC WEST ASSOCIATES, INC
BUILT BY NORTHWOOD

IRONHORSE CHASSIS
BUILT EXCLUSIVELY BY NORTHWOOD MFG

Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

A. NORTHWOOD ROOF TRUSS SYSTEM
1 Heavy Gauge One Piece Roof Membrane
2 3/8" Plywood Sheathing (Bonded to Trusses)
3 R-15 Reflective 'Arctic' Foil Insulation
4 R-14 Dual Layer Fiberglass Insulation
5 Cathedral Arched Roof Trusses (More overhead space)
6 Interior Lamination Grade Lauan Plywood (Bonded to trusses)
7 Designer Interior Decor Finish Paneling

B. HIGH DENSITY ONE PIECE LAMINATED WALLS
8 Designer Interior Decor Vinyl Finish
9 Heavy Gauge Fully Welded Aluminum Superstructure
10 Solid Wood Fill - Full Thread Depth Anchor Blocking
11 Virgin 2 lb Rigid Dense Block Foam Insulation
12 Steel Inlaid Bonderizer Anchor Strips
13 Lamination Grade Lauan Plywood Exterior Wall Layer
14 Corona Treated High Durability Fiberglass Outer Layer

C. ULTIMATE DURABILITY FLOOR STRUCTURE
15 Commercial Grade Linoleum with 20 mil Surface
16 5/8" T&G Plywood Decking (Not Chipboard)
17 R-7 Residential Grade Fiberglass Insulation
18 Reinforced Woven Highway Moisture Barrier

D. DUAL RACK & PINION RAM MAIN SLIDE ROOM
19 4 Seal System w/ Inner & Outer Bulb Seal
20 ...including Wiper Seal for Continual Seal (Any Position)
21 ...and Outer Bulb Seals

E. CHASSIS
22 Northwood Built Ironhorse Chassis
23 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
24 Corrugated Underbelly Panels
25 Heated and Insulated Large Capacity Holding Tanks
26 Easy Lube Axles and Shock Absorbers
27 Heavy Duty Radial Tires
28 Sealed All Metal Heat Ducts

MORE ABSOLUTE NORTHWOOD QUALITY FEATURES
29 All Foam Condensation Resistant A/C Ducts
30 Large Bath Skylight
31 Hi Output Roof Mount A/C
32 Roto Molded High Durability Wheel Skirts
33 Diamond Scored Sidewall Skirts (Some Models)
34 Diamond Plate Gravel Guard

NASH

WARD
FRIDGE
MED CAB
OHD
DINETTE CONVERTS INTO A 37"X 75.5" SLEEPING AREA
17K
60" X 80"
TV LOCATION
OHD
WARD
12' AWNING
STEP
STEP

EXTERIOR STORAGE
WARD
DINETTE CONVERTS INTO A 45"X 85" SLEEPING AREA
FRIDGE
PANTRY
18FM
NIGHT STAND
WARD
ROLL OVER SOFA
MURPHY BED 60" X 74.5"
MED CAB
LINEN
TV LOCATION
OHD
NIGHT STAND
WARD
14'6" AWNING
STEP
STEP
STEP

OHD
THEATER SEATING
WARD
MED CAB
LINEN
19BS
OHD
FRIDGE
BAR STOOLS
60" X 80"
OHD
TV LOCATION
WARD
STEP
STEP


DINETTE CONVERTS INTO A 45"X 85" SLEEPING AREA
WARD
FRIDGE
PANTRY
WARD
23D
60" X 74-1/2"
OHD
MED CAB
PANTRY
OHD
TV LOCATION
WARD
16' AWNING
STEP
STEP
STEP


FRIDGE
68" THEATER SEATING
WARD
23CK
60" X 80"
OHD
DINETTE CONVERTS INTO A 40"X 75" SLEEPING AREA
PANTRY
LINEN
MED CAB
OHD
TV LOCATION
WARD
16' AWNING
STEP
STEP
STEP



DINETTE CONVERTS INTO A 40"X 74" SLEEPING AREA
EXTERIOR STORAGE
PANTRY
MED CAB
WARD
24B
PANTRY / WARD
60" X 74-1/2"
OHD
WARD
DOUBLE OVER DOUBLE BUNKHOUSE
*LOWER BUNK HINGED
EXTERIOR STOR-MOR DOOR
FRIDGE
TV LOCATION
OHD
16' AWNING
STEP
STEP
STEP


OHD
TRI-FOLD SOFA
WARD
WARD
OHD
24SD
SLIDE & DINE TABLE W/FOLDING DINETTE CHAIRS
60" X 74-1/2"
OHD
WARD
MED CAB
PANTRY
FRIDGE
TV LOCATION
OHD
STEP
STEP
STEP
17' AWNING

OPTIONAL DINETTE CONVERTS INTO A 40"X 75" SLEEPING AREA
TV LOCATION
OHD


FRIDGE
68" THEATER SEATING
OHD
LINEN
MED CAB
WARD
25KT
60" X 80"
OHD
DINETTE CONVERTS INTO A 40"X 76" SLEEPING AREA
LINEN
PANTRY
OHD
TV LOCATION
STORAGE
WARD
STEP
STEP
STEP
15' AWNING
STEP
STEP
STEP


DINETTE CONVERTS INTO A 40"X 75" SLEEPING AREA
FRIDGE
END TABLE
JACKKNIFE SOFA
END TABLE
25DS
LINEN
MED CAB
WARD
60" X 74-1/2"
OHD
WARD
TV LOCATION
ENT. CENTER
OHD
LINEN
STEP
STEP
STEP
14'6" AWNING
STEP
STEP
STEP

OHD
DINETTE CONVERTS INTO A 45"X 85" SLEEPING AREA
TRI-FOLD SOFA
WARD
DOUBLE OVER DOUBLE BUNKHOUSE
*LOWER BUNK HINGED
29S
PANTRY / WARD
60" X 74-1/2"
OHD
WARD
MED CAB
PANTRY
FRIDGE
TV LOCATION
OHD
STEP
STEP
STEP
16' AWNING
STEP
STEP
STEP

NASH

OFF THE GRID

UPGRADED PACKAGE

GO FARTHER, GO LONGER, GO OTG!

THE OTG PACKAGE INCLUDES ALL OF THESE ITEMS:

NEXT LEVEL NORTHWOOD

NASH

STANDARD FEATURES & OPTIONS

Standard Construction Features
Northwood Built Ironhorse Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
Corona Treated Fiberglass
Laminated, Multi-Layered Substrate Walls
High Density Block Foam Insulation
Cathedral Arched Ceiling
E-Z Lube Axles
16" Aluminum Wheels / Tires & White Mod Spare
Shocks On All Four Wheels
12-Volt Power Tongue Jack / Manual Stabilizer Jacks
Easy Access LP Cover
4" Sewer Hose Carrier Bumper
All-Conditions/Four Seasons Insulation With R-14 Ceiling
R-15 Reflective Foil Insulation in Roof / Slide
Heated and Enclosed Tanks
Aerodynamic Front Fiberglass Cap w/ Diamond Plate Gravel Guard

Standard Exterior Features
Thermal Pane Windows / Rear View Camera Ready
Exterior HD Ladder / Exterior Marine Grade Speakers
Pass Thru Storage w/Independently Switched LED Light
LPG Quick Connect & Black Water Flush System
Entry Door Friction Hinge
Exterior Shower
10 Gal DSI Gas/Elect Quick Recovery Water Heater
13.5m BTU Air Conditioner w/Condensation-Resistant Ducting
Charge Wizard with Li Switch / Digital Thermostat
12V LED Awning w/Adjustable Pitch
Omni-Directional TV Antenna/Battery Disconnect
SolX 4 - 400 Watt Solar Package
Generator Ready / Satellite Ready
2" Rear Receiver Hitch

Standard Interior Features
LED Interior Utility & Decorative Lighting
Interior Command Center / NW Logo Cutting Board-Backsplash
Roller Bearing Drawer Glides
Slow Rise Night Shades / 2,000 Watt Inverter W/Trans Switch
AM/FM Stereo w/Bluetooth
Smoke, LPG & CO Leak Detectors
Custom Nash Signature Key Rack
Custom One Piece Formed Countertops & Dinette Table

Standard Kitchen Features
High Output 3-Burner Range & Cover
10 Cubic Foot 12 Volt Refrigerator
Residential-style Microwave w/Air Fryer
Stainless Steel Sink / Hi-rise, Pull-out Kitchen Faucet
Foldable Drying Rack Sink Cover

Standard Bathroom Features
Porcelain, Foot-Pedal Toilet / Bath Skylight
Brushed Nickel Shower Screen

Standard Bedroom Features
TruRest Ultra Quilted Memory Foam Pillow-top w/ Bedspread
Below Bed Storage
USB Charging Ports & 110 Outlets on Both Sides of Bed
Recessed Storage Headboard

Options
Premium Fan Vent - Bedroom
Premium Fan Vent - Bathroom
Premium Fan Vent - Kitchen
Weatherguard Main Awning
Holding Tank Heat Pads (All Tanks)
Pwr Dual-Motor Sliding Stab Jacks, Front & Rear
Slide Out Topper
12v LED TV
15K Air Conditioner w/ Ducting (23D, 23CK, 24M, 25DS, 25KT, 29S)
Gateway Router
2.5 Onan LP Generator & 11K Power Saver A/C (17K,18FM)
3.6 Onan LP Generator (23D, 23CK, 24B, 24M, 25DS, 25KT, 29S)
11K Pwr Saver A/C (use w/2.5 gen)(17K,18FM)
SolX 6 + 200 Watts of Solar (All)
SolX 8 + 400 Watts of Solar (23D, 23CK, 24B, 24M, 25DS, 25KT, 29S)
SolX 10 + 600 Watts of Solar (29S)
RV BBQ
Rear View Camera
OTG Package



Send us your testimonial with your pictures and you may be featured in our future promotions.
Send your information to:
feedback@northwoodmail.com

Model Number	17K	18FM	19BS	23D	23CK	24B	24SD	25DS	25KT	29S
Dry Axle Weight (approx. Lbs.)	4177	5106	5265	5134	5865	5702	5860	6090	6290	6564
Dry Hitch Weight (approx. Lbs.)	589	556	560	606	826	758	590	755	660	796
Net Carrying Capacity	2634	1738	1575	1760	2509	2740	2750	2355	2250	3340
Gross Dry Weight (approx. Lbs.)	4766	5662	5825	5740	6691	6460	6450	6845	6950	7360
Gross Vehicle Weight Rating (GVWR)-Lbs.	7400	7400	7400	7500	9200	9200	9200	9200	9200	10700
Exterior Length (approx. w/hitch)	22' 4"	22'11"	23'7"	25'10"	27'8"	28'8"	27'3"	29'2"	28'5"	32'4"
Exterior Height (approx. incl. AC unit)	11'1"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"	11'6"
Exterior Width (approx. w/o awning)	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"	8'0"
Tire Size	ST235	ST235	ST235	ST235	ST235	ST235	ST235	ST235	ST235	ST235
	80R16	80R16	80R16	80R16	80R16	80R16	80R16	80R16	80R16	80R16
Load Range	E	E	E	E	E	E	E	E	E	E
Fresh Water w/ Water Heater (approx. gal.)	80	82	82	82	82	82	80	80	80	82
Gray Water Tank (approx. gal.)	35	47	47	42	47	42	42	40	40/35	40
Black Water Tank (approx. gal.)	36	36	42	35	36	35	35	35	35	35
LPG Capacity (approx. gal.)	14	14	14	14	14	14	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Auto Ignition Furnace (1,000 BTUs)	25	25	25	25	25	25	25	25	25	25

*All dry weights are calculated before adding options. Specifications are subject to change without notice. Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.

Your Local Dealer:

Updated Sept. 2026